



ACOUSTIC FABRIC

ACOUSTIC FABRIC PANEL

Dampen sound on a professional level with an equally professional look, available in 13 colors

DIMENSIONS

1 1/2" thick

Six standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"

MATERIAL AND SURFACE

Momentum fabric face available in 13 colors
PET Acoustic Filler
PVC Track (non-PVC available upon request)
MDF (NAUF) Backer

FINISHES / ADHESIVES

Low VOC waterborne clear coat, 66 g/L
(backer only)

FIRE RATING

Class A when tested in accordance with
ASTM E84

SEISMIC RATING


Available upon request

ACOUSTIC RATING


SSA 0.65
NRC 0.65
(Type A Mounting)

SAMPLES

Please Contact Us for your request or make
your request at windfall.design



Acoustic Fabric_Charcoal, Pebble + Shadow



Acoustic Fabric_Charcoal + Slate

LEAD TIME

3-5 weeks depending on area. Ship
date provided upon order.

MOQ

No Minimum Order Quantity




ACOUSTIC FABRIC


FABRIC OPTIONS



CHARCOAL



FLINT



SLATE



ZINC



SHADOW



STERLING



FELDSPAR




TAUPE



PEBBLE



PATINA



NECTAR



SAND




ALMOND

DISCLAIMER: Variations in color cannot be avoided as dye lots often vary, and pattern repeats will vary slightly.




Acoustic Fabric **INSTALLATION METHODS**

PANELS




Panels installed using
fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall Panels
Installed with patented
magnetic Wall System

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN
YOUR WALL. RECEIVE AN INVENTORY LIST,
SEND TO OUR TEAM FOR A QUOTE.