



ACOUSTIC FELT

ACOUSTIC FELT PANEL

Create a space that's as beautiful as it is absorbing sound with felt panels available in 23 colors

DIMENSIONS

1 1/2" thick

Six standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"

MATERIAL AND SURFACE

Acoustic panel with 100% Pure Wool face
PET Acoustic Filler, Contains 80% post consumer recycled material
PVC Track (non-PVC available upon request)
MDF (NAUF) Backer

FINISHES / ADHESIVES

Low VOC waterborne clear coat, 66 g/L
(backer only)

FIRE RATING

Class A when tested in accordance with
ASTM E84

SEISMIC RATING


Available upon request

ACOUSTIC RATING


SSA 0.65
NRC 0.65
(Type A Mounting)

SAMPLES

Please Contact Us for your request or make
your request at windfall.design



Acoustic Felt_Granite + Jade



Acoustic Felt_Marble, Sodalite + Tourmaline (custom install)

LEAD TIME

3-5 weeks depending on area. Ship
date provided upon order.


MOQ

No Minimum Order Quantity




ACOUSTIC FELT


FELT OPTIONS




ONYX



BASALT




SLATE



TOURMALINE



AZURITE




JADE




SHALE




GRANITE



MARBLE




PERIDOT



QUARTZ




CITRINE



CHALK



MARL




GABBRO




AGATE



JASPER




NORITE




GNEISS




TUFF



FLINT



OPAL



SODALITE


DISCLAIMER: Felt is made from natural fibers and color variation may occur.

Contact Us: sales@windfall.design | www.windfall.design




Acoustic Felt **INSTALLATION METHODS**

PANELS




Panels installed using
fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall Panels
Installed with patented
magnetic Wall System

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN
YOUR WALL. RECEIVE AN INVENTORY LIST,
SEND TO OUR TEAM FOR A QUOTE.