



TAMBOUR OG

TAMBOUR OG

The Tambour profile brings subtle elegance to any space with its modern warmth. Typically installed in vertical applications for wainscoting, bar front, accent and feature wall, elevator lobbies and more. Available in sticks, panels or Cambio panels.

DIMENSIONS

Single stick 1-5/8" wide x 13/16" thick
Triple stick 5- 7/8" wide x 13/16" thick
Loose sticks 96" long

Six standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"

MATERIAL AND SURFACE

Solid White Oak, Eastern Black Walnut, American Beech, American Cherry, Red Alder or CARB-II COMPLIANT/NAUF Medium Density Fiberboard

FINISHES / ADHESIVES

Zero VOC waterborne paint
Low VOC waterborne clear coat, 66 g/L
Sheen: Matte 106
Adhesive VOC: 0 g/L

FIRE RATING

Available in Class A or Class B upon request

SEISMIC RATING

Available upon request



Tambour: Black Walnut

SAMPLES

Please Contact Us for your request or make your request at windfall.design

LEAD TIME

3-5 weeks depending on area, and ship date provided upon order

MOQ

No Minimum Order Quantity

Contact Us: sales@windfall.design | www.windfall.design



The mark of responsible forestry
FSC® C041262




TAMBOUR OG

WOOD SPECIES



WHITE OAK




EASTERN BLACK WALNUT




AMERICAN BEECH



AMERICAN CHERRY



RED ALDER



PAINTED MDF




TRICORN BLACK



SERIOUS GRAY



GRAY MATTERS



WHITE FLOUR



CUSTOM SW PAINT

DISCLAIMER: Since wood is a natural material, there are variations, including knots, texture and grain from piece to piece. The wood used may vary from the wood used in samples or product photography due to the inherent characteristics of the material. In turn, no representation, warranty and/or guarantee is made with respect to the precise color, luster or appearance of finishes.

Contact Us: sales@windfall.design | www.windfall.design




The mark of responsible forestry
FSC® C041262




Tambour OG INSTALLATION METHODS

STICKS



Tongue + groove cladding (loose sticks) Traditional install with nails + adhesive

PANELS




Panels installed using fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall panels Installed with patented magnetic wall system.

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN YOUR WALL. RECEIVE AN INVENTORY LIST, SEND TO OUR TEAM FOR A QUOTE.

Contact Us: sales@windfall.design | www.windfall.design



The mark of responsible forestry
FSC® C041262