



## WAVY

### WAVY

The Wavy profile celebrates soft movement in a wall cladding, designed for sophisticated venues where soft light can reflect off the curves and valleys in the profile. Offered in stick cladding or panels. The Wavy profile can be installed vertically or horizontally used in wainscoting, bar front, accent and feature walls, elevator lobbies and more. Finished in four standard paint colors. Custom Sherwin Williams paint is additional cost.

### DIMENSIONS

Single Stave 4 1/2" wide x 3/4" thick  
Loose 96" sticks long

Six standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"

### MATERIAL AND SURFACE

CARB-II COMPLIANT/NAUF Medium Density Fiberboard

### FINISHES / ADHESIVES

Zero VOC waterborne paint  
Low VOC waterborne clear coat, 66 g/L  
Adhesive VOC: 0 g/L

### FIRE RATING

Available in Class A or Class B upon request

### SEISMIC RATING

Available upon request



Wavy: White Flour

### SAMPLES

Please Contact Us for your request or make your request at [windfall.design](http://windfall.design)

### LEAD TIME

3-5 weeks depending on area, and ship date provided upon order

### MOQ

No Minimum Order Quantity

We are happy to discuss your project for further customization. Please call us or we can join you online to go through your designs.





## WAVY

### PAINTED MDF




TRICORN BLACK



SERIOUS GRAY




GRAY MATTERS



WHITE FLOUR



CUSTOM SW  
PAINT



**DISCLAIMER:** Since wood is a natural material, there are variations, including knots, texture and grain from piece to piece. The wood used may vary from the wood used in samples or product photography due to the inherent characteristics of the material. In turn, no representation, warranty and/or guarantee is made with respect to the precise color, luster or appearance of finishes.

**Contact Us:** [sales@windfall.design](mailto:sales@windfall.design) | [www.windfall.design](http://www.windfall.design)



The mark of  
responsible forestry  
FSC® C041262


# Wavy INSTALLATION METHODS

## STICKS



Tongue + groove cladding (loose sticks) Traditional install with nails + adhesive

## PANELS




Panels installed using fixed mounted fastener

## CAMBIO PANELS



Cambio by Windfall panels Installed with patented magnetic wall system.

## DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN YOUR WALL. RECEIVE AN INVENTORY LIST, SEND TO OUR TEAM FOR A QUOTE.