



D3 PANELS

D3 PANELS

D3= Douglas Fir's third life.

First, it was a tree. Then it was a structural beam. Now it's an architectural panel. What will this panel become? That is up to you. D3 Panels are made from reclaimed Douglas Fir solid, and glue laminated beams sourced from the Pacific NW.

DIMENSIONS

$\frac{3}{4}$ " thick

Six standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"

MATERIAL AND SURFACE


Reclaimed Douglas Fir and Hemlock
Janka hardness scale 540 -710

Panels may include aluminum metal shavings or staples in the reclaimed wood face or back layers. Standard reclaimed marks (nail holes, ferrous staining, glue lines, and occasional bolt holes) will be apparent. Voids allowed up to $\frac{1}{8}$ " allowed and not filled.

This comes to us in the raw reclaimed wood we source every day. We have processed this wood with aluminum in it in our wood working machines safely. Typical woodworking blades can be used to further process the panels during installation without harm to the operator or tools.

FINISHES ADHESIVES AND FILLERS

Low VOC waterborne clear coat, 66 g/L
Sheen: Matte 106
Stain VOC: 7 g/L
Adhesive VOC: 0 g/L (NAUF compliant)
Wood Filler VOC: 0 g/L



D3 Panels: Ebony, Cascadian Brown + Umber

FIRE RATING

Available in Class A upon request

SEISMIC RATING

Available upon request

POTENTIAL LEED CREDITS

Materials & Res. Credit 3: Materials Reuse

Materials & Res. Credit 4: Recycled Content

Materials & Res. Credit 5: Regional Materials (500 mi of Tumwater, WA)

Materials & Res. Credit 7: Certified Wood
Indoor Environmental Quality Credit 4.1:
Low-emitting Materials - Adhesives
Indoor Environmental Quality Credit 4.2:
Low-emitting Materials - Paints & Coatings



The mark of
responsible forestry
FSC® C041262

WINDFALL LUMBER
FSC CHAIN OF CUSTODY SA-COC-002372-3



D3 PANELS


STAIN OPTIONS




EBONY




LEATHER



CHESTNUT




UMBER




WARM
BROWN



ANTHRACITE



CASCADIAN
BROWN



CLEAR

SAMPLES

Please Contact Us for your request or make your request at windfall.design

LEAD TIME

3-5 weeks depending on area, and ship date provided upon order


MOQ

No Minimum Order Quantity




D3 PANELS

INSTALLATION METHODS




Panels installed using
fixed mounted fastener



Cambio by Windfall Panels
Installed with patented
magnetic Wall System

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN
YOUR WALL. RECEIVE AN INVENTORY LIST,
SEND TO OUR TEAM FOR A QUOTE.