



VENEER

VENEER

Engineered veneer combines the beauty and character of natural wood with the reliability, precision and predictability of modern industrial production. The consistent quality of the real wood engineered veneer stands the test of time, making it the ideal solution for demanding interior design projects that require elegant wood design with absolute consistency. Sustainably produced and formaldehyde-free.

DIMENSIONS

3/4" thick

Six standard panel sizes:

18" x 18"
18" x 54"
18" x 90"
36" x 36"
24" x 96"

MATERIAL AND SURFACE

Hardwood veneer on MDF (NAUF) core

FINISHES / ADHESIVES

Low VOC waterborne clear coat, 66 g/L Sheen: Matte 106 Stain VOC: 7 g/L CARB-II COMPLIANT/NAUF Medium Density Fiberboard backer

FIRE RATING

Class A and B fire-rating available upon request

SEISMIC RATING

Available upon request



Veneer: Oak with Acoustic Felt Board





VENEER

WOOD OPTIONS







SAMPLES

Please Contact Us for your request or make your request at windfall.design

LEAD TIME

3-5 weeks depending on area, and ship date provided upon order

MOQ

No Minimum Order Quantity

DISCLAIMER: Since wood is a natural material, there are variations, including knots, texture and grain from piece to piece. The wood used may vary from the wood used in samples or product photography due to the inherent characteristics of the material. In turn, no representation, warranty and/or guarantee is made with respect to the precise color, luster or appearance of finishes.





Veneer INSTALLATION METHODS

PANELS



Panels installed using fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall Panels Installed with patented magnetic Wall System

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN YOUR WALL. RECEIVE AN INVENTORY LIST, SEND TO OUR TEAM FOR A QUOTE.