



TROPICS CLADDING

TROPICS CLADDING

Add character and visual variety to your interior projects with our Tropics Cladding. Comprised of more than a dozen species of wood from Africa, Asia and South America, the colors and grain patterns are rich and varied. The cladding face is made from shipping pallets, diverted from landfills, and offers a third life to this post-industrial waste. The cladding is Certified FSC-Recycled.

MATERIAL AND SURFACE

Janka hardness scale 700 to 1800 due to the range of species
Tongue and groove profile
Open knots allowed up to 1/4" and not filled

DIMENSIONS

9/16" thick x 3" wide
Loose sticks are 2' - 6' random lengths
Six standard panel sizes:

- 18" x 18" (full length sticks)
- 18" x 36" (full length sticks)
- 36" x 36" (full length sticks)
- 18" x 54" (random length sticks)
- 18" x 90" (random length sticks)
- 24" x 96" (random length sticks)

FINISHES / ADHESIVES

Low VOC waterborne clear coat, 66 g/L
Stain VOC: 7 g/L
Sheen: Satin 105
Adhesive VOC: 0 g/L (NAUF compliant)

FIRE RATING

Class C as-is in native form, Class A and B
Available upon request

SEISMIC RATING

Available upon request



Tropics Cladding: Mushroom | Meconi's, Olympia, WA

POTENTIAL LEED CREDITS

Materials & Res. Credit 3: Materials Reuse

Materials & Res. Credit 4: Recycled Content

Materials & Res. Credit 5: Regional Materials (500 mi of Tumwater, WA)

Materials & Res. Credit 7: Certified Wood

Indoor Environmental Quality Credit 4.1: Low emitting Materials - Adhesives

FSC CHAIN OF CUSTODY SA-COC-002372-3
when available

Contact Us: sales@windfall.design | www.windfall.design




The mark of
responsible forestry
FSC® C041262




TROPICS CLADDING


STAIN COLORS




CLEAR




MIST




MUSHROOM



TOFFEE



NIGHT



SAMPLES

Please Contact Us for your request or make your request at windfall.design

LEAD TIME

3-5 weeks depending on area, and ship date provided upon order

MOQ

No Minimum Order Quantity

DISCLAIMER: Since wood is a natural material, there are variations, including knots, texture and grain from piece to piece. The wood used may vary from the wood used in samples or product photography due to the inherent characteristics of the material. In turn, no representation, warranty and/or guarantee is made with respect to the precise color, luster or appearance of finishes.


Contact Us: sales@windfall.design | www.windfall.design



The mark of
responsible forestry
FSC® C041262


Tropics Cladding INSTALLATION METHODS

STICKS



Tongue + groove cladding (loose sticks) Traditional install with nails + adhesive

PANELS




Panels installed using fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall panels Installed with patented magnetic wall system.

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN YOUR WALL. RECEIVE AN INVENTORY LIST, SEND TO OUR TEAM FOR A QUOTE.