D3 PANELS

D3 PANELS

D3= Douglas Fir's third life.
First, it was a tree. Then it was a structural beam. Now it's an architectural panel. What will this panel become? That is up to you. In addition to affixing directly to walls and ceilings, D3panels are reception and bar fronts, benches, booth backs with upholstery, suspended ceiling panels, café clouds, and shaped fins, room dividers, and shelving. Panels can be engraved and painted. D3 Panels are made from reclaimed Douglas Fir solid, and glue laminated beams sourced from the Pacific NW. Available in panels and full sheets.

DIMENSIONS

¾" thick

Seven standard panel sizes:

- 18" x 18"
- 18" x 36"
- 36" x 36"
- 18" x 54"
- 18" x 90"
- 24" x 96"


Full sheet size:

- 48" x 96"

MATERIAL AND SURFACE

Reclaimed Douglas Fir and Hemlock
Janka hardness scale 540 –710

Panels may include aluminum metal shavings or staples in the reclaimed wood face or back layers. Standard reclaimed marks (nail holes, ferrous staining, glue lines, and occasional bolt holes) will be apparent. Voids allowed up to 1/8" allowed and not filled.
This comes to us in the raw reclaimed wood we source every day. We have processed this wood with aluminum in it in our wood working machines safely. Typical woodworking blades can be used to further process the panels during installation without harm to the operator or tools.



D3 Panels: Ebony, Cascadian Brown + Umber

FINISHES ADHESIVES AND FILLERS

Low VOC waterborne clear coat, 66 g/L
Sheen: Matte 106
Stain VOC: 7 g/L
Adhesive VOC: 0 g/L (NAUF compliant)
Wood Filler VOC: 0 g/L

FIRE RATING

Available in Class A upon request

SEISMIC RATING

Available upon request

POTENTIAL LEED CREDITS

Materials & Res. Credit 3: Materials Reuse

Materials & Res. Credit 4: Recycled Content

Materials & Res. Credit 5: Regional Materials (500 mi of Tumwater, WA)

Materials & Res. Credit 7: Certified Wood
Indoor Environmental Quality Credit 4.1: Low-emitting Materials – Adhesives
Indoor Environmental Quality Credit 4.2: Low-emitting Materials – Paints & Coatings

Contact Us: sales@windfall.design | www.windfall.design

FSC www.fsc.org
The mark of responsible forestry
FSC® C041262

D3 PANELS

STAIN OPTIONS



EBONY



LEATHER



CHESTNUT



UMBER



WARM BROWN



ANTHRACITE



CASCADIAN BROWN



CLEAR

FSC CHAIN OF CUSTODY SA-COC-002372-3 when available

SAMPLES
Please Contact Us for your request or make your request at windfall.design

LEAD TIME
3-5 weeks depending on area, and ship date provided upon order

MOQ
No Minimum Order Quantity

DISCLAIMER: Since wood is a natural material, there are variations, including knots, texture and grain from piece to piece. The wood used may vary from the wood used in samples or product photography due to the inherent characteristics of the material. In turn, no representation, warranty and/or guarantee is made with respect to the precise color, luster or appearance of finishes.

Contact Us: sales@windfall.design | www.windfall.design

The mark of responsible forestry
FSC® C041262

D3 Panels INSTALLATION METHODS

PANELS




Panels installed using fixed mounted fastener

CAMBIO PANELS



Cambio by Windfall Panels Installed with patented magnetic Wall System

DESIGN YOUR WALL



USE OUR VISUALIZER TOOL TO DESIGN YOUR WALL. RECEIVE AN INVENTORY LIST, SEND TO OUR TEAM FOR A QUOTE.

Contact Us: sales@windfall.design | www.windfall.design

The mark of responsible forestry
FSC® C041262